



VIETTREND TOUR
YOUR DREAM TRIP - PERFECTLY CRAFTED

Authentic Vietnam Travel Experiences

Tailor-Made Sustainable Tours and Experiences

Call us on WhatsApp/Phone/Viber 24/7

(+84) 898265688

 HOME

 DESTINATIONS

 VIETNAM TOURS

 ACTIVITIES & EXPERIENCES

 LUXURIES CRUISES

 LUXURY TRANSFER SERVICES

 ABOUT US

 VIETNAM TRAVEL GUIDE

Home > Vietnam Travel Guide > Cultural and Heritage Travel >

7 Days in Northern Vietnam: A Journey That Changes Everything

CULTURAL AND HERITAGE TRAVEL

FAMILY AND GROUP TRAVEL

LUXURY TRAVEL EXPERIENCES

SUSTAINABLE AND ECO-FRIENDLY TRAVEL

TRAVEL TIPS AND SAFETY ADVICE

VIETNAM TRAVEL GUIDES

September 10, 2025

Search

Search

Chat with ViettrendTour



Recent Posts

7 Days in Northern Vietnam: A Journey That Changes Everything



Curated by ViettrendTour Travel Experts

Picture this: You wake up in a mist-covered mountain village where hill tribe families greet you with handwoven smiles. By sunset, you're sipping wine on a luxury cruise deck as limestone giants emerge from emerald waters like sleeping dragons. This isn't just travel—this is the kind of journey that rewrites your understanding of what authentic adventure means.

I've spent years perfecting this 7 days Vietnam tour itinerary, and I can tell you that every single day offers moments that will take your breath away. From touching the clouds at Fansipan Peak to gliding through mystical caves where time stands still, Northern Vietnam reveals itself like a beautiful secret shared between old friends.

Let me take you on this journey, day by magical day.

7 Days in Northern
Vietnam: A
Journey That
Changes
Everything

7 Days of Magic:
From Fansipan's
Peak to Halong's
Emerald Waters

Authentic 6-Day
Northern Vietnam
Tour: Hanoi, Sapa
& Halong Wonders

Remarkable 6-Day
Northern Vietnam
Journey: Fansipan
& Halong

8-Day Authentic
Vietnam Journey:
Hanoi Culture &
Halong Cruise

Recent Comments

No comments to
show.

Chat with ViettrendTour





Archives

September 2025

August 2025

July 2025

June 2025

May 2025

April 2025

March 2025

January 2025

November 2020

August 2020

October 2017

Categories

Adventure and
Outdoor Activities

Cultural and
Heritage Travel

Family and Group

Chat with ViettrendTour



Day 1: Hanoi Arrival – Where Your Vietnam Love Story Begins ✈️

The moment you step off the plane at Noi Bai Airport, Vietnam begins to work its magic. Your private driver greets you with genuine warmth—this isn’t just service, it’s hospitality rooted in centuries of welcoming strangers as family.

What You’ll Feel: The anticipation builds during your comfortable ride into Hanoi’s Old Quarter, where narrow streets buzz with motorbikes, the aroma of pho mingles with incense from hidden temples, and every corner reveals another layer of this thousand-year-old city.

Evening Magic: As daylight fades, the Old Quarter transforms. Street food vendors light their stalls, locals gather for evening coffee, and you’ll understand why travelers fall in love with Vietnam before they’ve even unpacked.

Logistics: Private airport pickup at Terminal Pole 10, transfer to Old Quarter, evening at leisure

Festivals and Events

Hidden Gems and Off-the-Beaten-Path Destinations

Luxury Travel Experiences

Sustainable and Eco-Friendly Travel

Travel Tips and Safety Advice

Vietnam Food and Culinary Experiences

Vietnam Travel Guides

FEATURED TRIPS



\$449

Discover Vietnam in 7

Days

\$

Chat with ViettrendTour





**Roof
of
Indochin
Lan
Ha
Serenity
& Ninh
Binh
Magic**

📍 Ha
Long
Bay, Ha
Long
Bay
Cruise,
Ha Noi,
Lan Ha
Bay
Cruise,
Ninh
Binh,
Sapa

🕒 7
Days - 6
Nights



7 Days

Chat with ViettrendTour



Magic:



Day 2: Journey to Sapa – Into the Clouds 🏔️

What You'll Experience: The scenic drive to Sapa feels like watching Vietnam's soul unfold through your window. Urban landscapes gradually give way to terraced mountainsides

Chat with ViettrendTour



Fansipan Summit & Halong Cruise(V 7D102)

📍 Ha Long Bay, Ha Long Bay Cruise, Ha Noi, Lan Ha Bay Cruise, Ninh Binh, Sapa

🕒 7

Days - 6
Nights



\$225

6-Day Central Vietnam Magic:

Ba Na,

that cascade like green staircases built for giants. The air grows cooler, cleaner, and filled with possibility.

Cultural Immersion: Cat Cat village isn't just a destination—it's a window into a way of life that has remained unchanged for centuries. Watch Black Hmong artisans weave silver into jewelry, listen to traditional songs echo off limestone cliffs, and feel the spray from waterfalls where French engineers once built power stations.

Sensory Moments: The sound of bamboo flutes drifting through mountain mist, children's laughter mixing with the gentle roar of cascading water, and the warmth of village families sharing their stories through universal smiles.

Schedule:

- 6:30 AM: Limousine bus pickup from Hanoi Old Quarter
- 12:30 PM: Arrive Sapa with welcome lunch
- 2:30 PM: Cat Cat village trek (3.5km, 2 hours)
- Evening: Free exploration of Sapa town



Hoi An(VT2-6D201)

📍 Da Nang, Hoi An, Hue

🕒 6 Days - 5 Nights


RECENT POSTS



7 Days in Northern Vietnam: A Journey That Changes Everything

September 10, 2025

Chat with ViettrendTour





Day 3: Fansipan Peak – Touch the Roof of Indochina 🏔️

The Experience: Rising to 3,143 meters feels like ascending to heaven itself. Vietnam's longest cable car system carries you through pine forests and alpine meadows until you're literally above the clouds, with mountain peaks poking through the white expanse like islands in the sky.

Spiritual Moments: At the summit, ancient Buddhist pagodas seem to touch the heavens. Prayer flags flutter in thin mountain air, and the panoramic views stretch across three countries—Vietnam, Laos, and China—reminding you how small and connected our world truly is.

The Climb: Those final 600 steps to the actual peak become a meditation. Each step brings you closer to understanding why local people consider this mountain

7 Days of
Magic: From
Fansipan's
Peak to
Halong's
Emerald
Waters

September 3, 2025



Authentic 6-
Day Northern
Vietnam
Tour: Hanoi,
Sapa &
Halong
Wonders

August 29, 2025

POPULAR
POSTS

Top 20 Must-
Visit
Destinations
in Vietnam in

Chat with ViettrendTour



(

to South

sacred, why pilgrims have climbed here for generations seeking spiritual connection.

Timeline:

- 8:00 AM: Cable car station transfer after breakfast
- 9:00-11:30 AM: Summit exploration and peak conquest
- 12:00-2:00 PM: Check-out and farewell lunch
- 8:30 PM: Return to Hanoi Old Quarter



**Beyond Pho:
Regional
Vietnamese
Dishes You
Should Try**

**Support
Local
Communities:
5 Villages
Offering
Unique
Cultural
Experiences**

Chat with ViettrendTour



Day 4: Halong Bay – Enter the Dragon’s Realm

First Glimpse: The moment you see Halong Bay, time stops. Over 1,600 limestone islands rise from emerald waters like a scene painted by the gods themselves. Your luxury cruise becomes your floating sanctuary, complete with panoramic windows and a deck perfect for watching this UNESCO wonderland unfold.

Hidden Discoveries: Bright Cave exploration by bamboo boat feels like discovering a secret lagoon from another world. Local fishermen row you through mirror-still waters surrounded by jungle-covered cliffs, sharing stories passed down through generations.

Evening Enchantment: As your cruise anchors in a secluded bay, dinner becomes a celebration. Fresh seafood tastes better when accompanied by limestone silhouettes against star-filled skies, and conversations with fellow travelers create connections that outlast the journey.

Your Day:


- 8:00 AM: Private transfer to Tuan Chau Harbor
- 12:30 PM: Board cruise with gourmet lunch
- 2:30–4:00 PM: Bright Cave bamboo boat exploration
- 4:30 PM: Swimming in emerald waters
- 7:00 PM: Seafood feast with evening entertainment

Chat with ViettrendTour





Day 5: Floating Villages – Life on the Water



Dawn Magic: Starting your day with Tai Chi on the cruise deck as golden sunrise transforms Halong Bay into liquid gold creates a meditation you'll remember forever. The gentle rocking of your floating home, the silence broken

Chat with ViettrendTour



only by distant bird calls, and the feeling of being completely present in paradise.

Cultural Connection: Kayaking through Tra Bau floating village reveals a unique civilization. Families who have lived on these waters for generations wave from floating schools, tend gardens that rise and fall with tides, and demonstrate that home isn't about land—it's about community and connection.

Farewell Moments: Your final brunch aboard the cruise offers last glimpses of limestone towers before returning to the mainland, but the serenity of Halong Bay travels home in your heart.

Morning Schedule:

- 6:00 AM: Optional sunrise Tai Chi
- 7:20-8:20 AM: Floating village kayaking
- 10:00 AM: Final brunch while cruising to harbor
- 3:30 PM: Return to Hanoi Old Quarter



Chat with ViettrendTour





Day 6: Ninh Binh – Ancient Kingdoms & Mystical Caves 🏛️

Historical Immersion: Walking through Hoa Lu's thousand-year-old temples where Vietnam's first emperors once ruled feels like stepping through a portal into living history. Stone dragons guard ancient secrets, intricate carvings tell stories of dynasties past, and you understand why this valley was chosen as Vietnam's sacred capital.

Underground Wonders: The boat journey through Trang An's mystical cave system—where Kong: Skull Island was filmed—reveals cathedral-like chambers adorned with limestone formations that seem crafted by celestial artists. Each tunnel opens to new wonders, creating a sense of exploration that awakens your inner adventurer.

Chat with ViettrendTour



Summit Triumph: Climbing Mua Cave's 500 steps becomes a pilgrimage to one of Vietnam's most breathtaking views. At the summit, endless green rice paddies stretch toward limestone peaks, creating a panorama so beautiful it defies description.

Full Day Experience:

- 7:00 AM: Departure from Hanoi to Ninh Binh
- 10:30 AM: Hoa Lu ancient capital temples
- 11:30 AM: Village cycling tour (45 minutes)
- 1:30-4:00 PM: Trang An mystical boat tour
- 4:00 PM: Mua Cave summit climb (500 steps)
- 7:30 PM: Return to Hanoi

Chat with ViettrendTour





Chat with ViettrendTour



Day 7: Farewell Vietnam – Until We Meet Again ✈️

Bittersweet Morning: Packing becomes an exercise in carefully folding memories alongside souvenirs. The sounds of Hanoi’s awakening—coffee brewing, vendors calling, motorbikes humming—have become familiar music that will forever remind you of Vietnam’s rhythm.

Reflective Journey: Your final airport transfer offers time to process seven days that have changed how you see the world. You’re not just leaving Vietnam; you’re carrying a piece of its soul home with you forever.

The Promise: This isn’t goodbye—it’s “until we meet again.” Because Vietnam has a way of calling travelers back, and now you understand why.

Why This Journey Transforms Travelers

This isn’t just a 7-day Vietnam tour—it’s a carefully crafted experience that connects you to the heart of Vietnamese culture while ensuring every comfort is seamlessly arranged. From private transfers to expert local guides, from luxury cruise accommodations to authentic village

Chat with ViettrendTour



encounters, every detail serves the greater purpose of meaningful connection.

What Makes This Special:

- **Authentic Cultural Immersion:** Real interactions with hill tribe families, floating village communities, and local artisans
- **Sustainable Travel Practices:** Supporting community-based tourism and local economies
- **Effortless Luxury:** Premium accommodations and services without compromising authenticity
- **Expert Curation:** Every experience chosen for its ability to create lasting memories

Frequently Asked Questions

Is this 7-day Vietnam tour suitable for families with children?

Absolutely! This itinerary is designed with families in mind. Children ages 1-4 travel free when sharing accommodations with parents, and kids 4-9 receive 25% discounts. The trekking distances are manageable (3.5km maximum), and activities like cable cars, boat rides, and cultural villages engage travelers of all ages. Our guides are

Chat with ViettrendTour



experienced with family groups and ensure everyone feels included in the cultural experiences.

What's the best time to visit Northern Vietnam for this itinerary?

The ideal months are March-May and September-November when weather is comfortable for mountain trekking and bay cruising. March-May offers clear mountain views and blooming landscapes, while September-November provides perfect temperatures and minimal rainfall. We operate year-round, but these seasons offer the most consistent weather for outdoor activities and photography.

How physically demanding is this tour?

This tour is designed for moderate fitness levels. The most challenging activity is the Cat Cat village trek (3.5km over 2 hours) and climbing Mua Cave's 500 steps. The Fansipan cable car eliminates difficult mountain climbing, making the summit accessible to most travelers. All activities have alternatives for those preferring less physical exertion, and our guides adjust pace to accommodate all group members.

Chat with ViettrendTour



Ready to Begin Your Vietnam Love Story?



Seven days. Four incredible destinations. Countless moments that will change how you see travel forever. ✨

This **Vietnam 7 day itinerary Sapa Halong Ninh Binh** journey isn't just about visiting places—it's about:

- 🤝 Connecting with cultures
- 🌱 Supporting communities
- 🧭 Discovering parts of yourself you never knew existed

Every sunrise brings new adventures, every interaction creates lasting friendships, and every meal tells a story of Vietnam's generous spirit. 🍜

🌟 **Transform Your Travel Dreams Into Reality:**

✉️ **Ready to customize this Tailor-made Vietnam journey for your travel style?**

Message us on WhatsApp at [+84 898 265 688](https://wa.me/84898265688) or request a private quote through our website.

✨ **Want to make this journey uniquely yours?**

We specialize in creating **Luxury Vietnam tour package** experiences that match your:

Chat with ViettrendTour



- Personal interests and passions 🎯
- Travel schedule and pace ⌚
- Accommodation preferences 🏠
- Family or group dynamics 👨‍👩‍👧‍👦

Whether you prefer luxury accommodations, extended cultural immersions, or family-friendly adaptations, we'll craft the perfect **Private guided Vietnam adventure** for you! 🎨

🌐 Connect with ViettrendTour — ✨ Tailor-Made Vietnam Travel & Cultural Experiences

Explore authentic journeys designed for modern travelers seeking comfort, connection, and cultural depth. Reach us through our trusted channels:

💼 LinkedIn:

<https://www.linkedin.com/company/viettrendtour>

🏆 TripAdvisor:

https://www.tripadvisor.com/Attraction_Review-g293924-d27664536-Reviews-Viettrendtour-Hanoi.html

📍 Google Maps: <https://g.co/kgs/SMVCT9B>

📱 WhatsApp: <https://wa.me/84898265688>

✉ Email: <mailto:travelwithus@viettrendtour.com>

🎯 Join the official **ViettrendTour WhatsApp Channel:**

Chat with ViettrendTour



 Vietnam Travel Guide by Locals



<https://whatsapp.com/channel/0029VbB8vNkDzgT7uEjfJr1m>

 Admin ViettrendTour  Leave a Comment  0




[Edit](#)

 [Prev Post](#)

**7 Days of Magic: From
Fansipan’s Peak to
Halong’s Emerald
Waters**


You may also like...



LUXURY
TRAVEL
EXPERIENCES

VIETNAM
TRAVEL
GUIDES

Luxury
Vietnam
Cruise: Lan
Ha Bay vs.
Ha Long Bay
vs. Bai Tu
Long Bay –
Which One
is for You?



ADVENTURE
AND
OUTDOOR
ACTIVITIES

August 2
CULTURAL
AND
HERITAGE
TRAVEL

From Lan Ha
LUXURY
TRAVEL
EXPERIENCES

Ninh Binh’s
Ancient
Wonders

VIETNAM
TRAVEL
GUIDES

January 14,
2025

Top 20
Must-Visit
Destinations
in Vietnam
in 2025
(North to
South)

Chat with ViettrendTour 

Leave a Reply

Logged in as
Admin
ViettrendTour.

[Edit your profile.](#)
[Log out?](#)

Required fields
are marked *

SUSTAINABLE
AND ECO-
FRIENDLY
TRAVEL
VIETNAM
TRAVEL
GUIDES

Comment

Post Comment

 **Contact &
Travel Support**

 **Vietnam
Destinations**

 **Vietnam Tours
& Experiences**

 **Why
ViettrendTour**


Call/WhatsApp/Viber:
(+84) 898265688

 **Hanoi Tours**
 **Sapa Trekking
Adventures**

 **Cultural
Experiences**

 **Adventure
Escapes**

 **About
ViettrendTour**

 **Contact Us**

 **General
Inquiries:**
travelwithus@viettrendtour.com

 **Ha Giang
Adventures**

Chat with ViettrendTour




hello@viettrendtour.com

Partnerships & Affiliates:

partner@viettrendtour.com

Careers & Recruitment:

careers@viettrendtour.com

📍 Office: Hanoi, Vietnam

🕒 Hours: Mon – Sat, 7AM – 9PM (GMT+7)

🚢 Ha Long Bay Cruises

🌿 Ninh Binh Eco Tours

🌴 Da Nang & Hoi An

🌴 Mekong Delta

🌴 Phu Quoc Holidays

📍🌐 Destination

👨👩👦 Family-Friendly Trips

🏰 Cultural & Heritage Tours

🧳 Vietnam Multi-Day Tours

🚢 Luxury Cruises

🏡 Village Life Experiences

🌴 Beach Retreats

🔒 Privacy Policy

📖 Terms & Conditions

📝 Refund & Return Policy

📅❌ Cancellation Policy

✉️ Booking Confirmation & Delivery Policy

🛡️ Trusted by Travelers

⭐ Rated 5 Stars on TripAdvisor

🔒 100% Secure Booking

💳 Trusted Payment Options

VISA

MasterCard

PayPal

© 2025 ViettrendTour – Tailor-Made Vietnam Journeys for Modern Travelers
Designed with ❤️ for Cultural Explorers, Families & Discerning Travelers.

Chat with ViettrendTour

https://viettrendtour.com/2025/09/10/7-days-in-northern-vietnam-a-journey-that-changes-everything/

23/135

This area is shown only for the admin users and if "Manage in the Front-end?" was selected in the plugin's settings. Handles such as 'admin-bar' and 'wpassetcleanup-style' are not included as they are irrelevant since they are used by the plugin for this area.

 post type.

Page URL: <https://viettrendtour.com/2025/09/10/7-days-in-northern-vietnam-a-journey-that-changes-everything/>

Post Template: Default Template (single.php → /wp-content/themes/travel-agency-pro/single.php)

Please select the styles & scripts that are **NOT NEEDED** from the list below. Not sure which ones to unload? 🤔 Use "Test Mode" (to make the changes apply only to you), while you are going through the trial & error process.

i WordPress CSS & JavaScript core files are hidden as requested in the plugin's settings. They are meant to be managed by experienced developers in special situations.

* any new change will take effect after you use the "Update" button

Assets' List

Layout:

Grouped by location (themes, plugins, core & external) 

 Contract All Groups

 Expand All Groups

 From Plugins (.css & .js) → Total files: 91



All in One SEO Pro v4.8.7.1 / 1 file

"Unload on this page"

[Check All](#) [Contract](#) [Expand](#) All Assets

Handle: **aioseo/css/src/vue/assets/scss/app/admin-bar.scss** * Site stylesheet (.css)

Source: /wp-content/plugins/all-in-one-seo-pack-pro/dist/Pro/assets/css/admin-bar.bbffe8bd.css

→ Preload? No (default) ▾ * applies site-wide



Version: 4.8.7.1 / Position: HEAD  [Change it?](#) / File

[Chat with ViettrendTour](#)



Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of **"post"** post type * bulk unload

Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:
 

Unload CSS for URLs with request URI matching the following RegEx(es):
 

Make the browser download the file

on any screen size (default) 



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Contact Form 7 v6.1.1 / 3 files

"Unload on this page"
[Contract](#) | [Expand](#) All Assets
[Check All](#) | [Uncheck All](#)

Handle: **contact-form-7** * Stylesheet (.css) 

Source: </wp-content/plugins/contact-form-7/includes/css/styles.css>

Tip: This CSS file is related to "Contact Form 7" and if you don't load any form on this page (e.g. you use it only on pages such as Contact, Make a booking etc.), then you can safely unload it (e.g. side-wide and make exceptions on the few pages you use it).

Handle: **contact-form-7** * JavaScript (.js) +Source: </wp-content/plugins/contact-form-7/includes/js/index.js>

Tip: This JavaScript file is related to "Contact Form 7" and if you don't load any form on this page (e.g. you use it only on pages such as Contact, Make a booking etc.), then you can safely unload it (e.g. side-wide and make exceptions on the few pages you use it).

Handle: **swv** * JavaScript (.js) +

i There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: [contact-form-7](#)

Source: </wp-content/plugins/contact-form-7/includes/swv/js/index.js>**Elementor** v3.32.2 / 11 files["Unload on this page"](#)[Check All](#) | [Uncheck All](#) | [Expand All Assets](#)

! Most (if not all) of this plugin's files are linked (child & parent) for maximum compatibility. Unloading one Elementor CSS/JS will likely trigger the unloading of other "children" associated with it. **To avoid breaking the Elementor editor, Asset CleanUp is deactivated in the page builder's edit & preview mode. If this page is not edited via Elementor and you don't need any of the plugin's functionality (widgets, templates etc.) here, you can unload the files below making sure to test the page after you updated it.**

Handle: **backbone-marionette** * JavaScript (.js) —

i There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: [elementor-common](#)

→ Ignore dependency rule and keep the "children" loaded

Source: </wp-content/plugins/elementor/assets/lib/backbone/backbone.marionette.min.js> → Preload? No (default) ▾ * applies site-wide ?

"Child" of one "parent" JS file: [backbone](#) / Version: 2.4.5.e1 / Position: BODY [Change it?](#) / File Size: 44.1 KB

[Unload on this post](#)[Unload site-wide](#)[Chat with ViettrendTour](#)

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **backbone-radio** *JavaScript (.js)

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **elementor-common**

→ Ignore dependency rule and keep the "children" loaded

Source: /wp-

content/plugins/elementor/assets/lib/backbone/backbone.radio.min.

js → Preload? No (default) * applies site-wide

"Child" of one "parent" JS file: **backbone** / Version: 1.0.4 / Position: BODY Change it? / File Size: 3.67 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Chat with ViettrendTour



Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: ** Pro version*

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **e-theme-ui-light** *Stylesheet (.css)

Source: /wp-content/plugins/elementor/assets/css/theme-

light.min.css → Preload? No (default) * applies site-wide

Version: 3.32.2 / Position: HEAD Change it? / File Size: 2.23 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of "**post**" post type * bulk unload

Unload CSS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Chat with ViettrendTour



Make the browser download the file

on any screen size (default) 



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **elementor-app-loader** *JavaScript (.js)

Source: /wp-content/plugins/elementor/assets/js/app-loader.min.js

→ Preload?

No (default) ▼

 * applies site-wide 

"Child" of one "parent" JS file: **elementor-common** / Version: 3.32.2 /

Position: BODY  [Change it?](#) / File Size: 88.15 KB

 [Unload on this post](#)

 [Unload site-wide * everywhere](#)

 [Unload JS on all pages of "post" post type * bulk unload](#)

 [Unload JS on all pages of "post" post type if these taxonomies \(category, tag, etc.\) are set:](#)
 

 [Unload JS for URLs with request URI matching the following RegEx\(es\):](#)
 

Inline JavaScript code associated with the handle:

Show / Hide +

 / Size: 917 bytes

Set the following attributes: *Pro version

 **async** →

on this page | everywhere

 **defer** →

on this page | everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **elementor-common** *Stylesheet (.css)

Source: /wp-content/plugins/elementor/assets/css/common.min.css

→ Preload?

No (default) ▼

 * applies site-wide 

[Chat with ViettrendTour](#)


"Child" of one "parent" CSS file: [elementor-icons](#) / Version: 3.32.2 / Position: HEAD  [Change it?](#) / File Size: 24.59 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of "**post**" post type * bulk unload

Unload CSS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **elementor-common** * JavaScript (.js)

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: [elementor-app-loader](#)

→ Ignore dependency rule and keep the "children" loaded

Source: [/wp-content/plugins/elementor/assets/js/common.min.js](#)

→ Preload? No (default)  * applies site-wide 

"Child" of 10 JS "parent" files: [jquery](#), [jquery-ui-draggable](#), [backbone-marionette](#), [backbone-radio](#), [elementor-common-modules](#), [elementor-web-cli](#), [elementor-dialog](#), [wp-api-request](#), [elementor-dev-tools](#), [wp-i18n](#) / Version: 3.32.2 / Position: BODY  [Change](#) 3.99 KB

Chat with ViettrendTour



Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle: Show / Hide + / Size: 10.49 KB

Set the following attributes: *Pro version

async → on this page | everywhere

defer → on this page | everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **elementor-common-modules** * JavaScript(.js) —

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **elementor-common**

→ Ignore dependency rule and keep the "children" loaded

Source: **/wp-content/plugins/elementor/assets/js/common-**

modules.min.js → Preload? No (default) v * applies site-wide

Version: 3.32.2 / Position: BODY Change it? / File Size: 116.93 KB

Unload on this post

Unload site-wide * everywhere

Chat with ViettrendTour



Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **elementor-dev-tools** * JavaScript (.js)

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **elementor-common**

→ Ignore dependency rule and keep the "children" loaded

Source: **/wp-content/plugins/elementor/assets/js/dev-tools.min.js**

→ Preload? No (default) * applies site-wide

Version: 3.32.2 / Position: BODY Change it? / File Size: 7.44 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Chat with ViettrendTour



Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle:

Show / Hide / Size:

841 bytes

Set the following attributes: **Pro version*

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **elementor-dialog** * JavaScript (.js) —

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **elementor-common**

→ Ignore dependency rule and keep the "children" loaded

Source: /wp-

content/plugins/elementor/assets/lib/dialog/dialog.min.js

→ Preload? No (default) * applies site-wide

"Child" of one "parent" JS file: **jquery-ui-position** / Version: 4.9.4 /

Position: BODY [Change it?](#) / File Size: 11.35 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Chat with ViettrendTour



! Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: **Pro version*

async → | on this page | everywhere

defer → | on this page | everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **elementor-icons** * *Stylesheet (.css)*

There are CSS "children" files depending on this file. By unloading it, the following will also be unloaded: **elementor-common**

→ | Ignore dependency rule and keep the "children" loaded (recommended)

Source: **/wp-**

content/plugins/elementor/assets/lib/eicons/css/elementor-

icons.min.css → Preload? **No (default)** * applies site-wide

Version: 5.44.0 / Position: HEAD *Change it?* / File Size: 20.76 KB

! Unload on this post

| Unload site-wide * everywhere

| Unload CSS on all pages of "**post**" post type * bulk unload

| Unload CSS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



| Unload CSS for URLs with request URI matching the following RegEx(es):



Chat with ViettrendTour



Make the browser download the file

on any screen size (default) 

No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **elementor-web-cli** * JavaScript (.js) 

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **elementor-common**

→  Ignore dependency rule and keep the "children" loadedSource: **/wp-content/plugins/elementor/assets/js/web-cli.min.js**→ Preload? **No (default)**  * applies site-wide 

"Child" of one "parent" JS file: **jquery**  / Version: 3.32.2 / Position: BODY  **Change it?** / File Size: 166.47 KB

 **Unload on this post** **Unload site-wide** * everywhere **Unload JS on all pages of "post" post type** * bulk unload **Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:** **Unload JS for URLs with request URI matching the following RegEx(es):**

Inline JavaScript code associated with the handle: **Show / Hide**  / Size: 551 bytes

Set the following attributes: * Pro version

 **async** →  on this page  everywhere

Chat with ViettrendTour



**defer** →

on this page

everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Site Kit by Google v1.161.0 / 27 files["Unload on this page"](#)[Check All](#) | [Contract](#) | [Expand](#) | [All Assets](#)Handle: **googlesitekit-adminbar** * JavaScript (.js)

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-adminbar-cfe30c2609c78ff1c03b.js

→ Preload? * applies site-wide

"Child" of 13 JS "parent" files: googlesitekit-tracking-data, googlesitekit-runtime, googlesitekit-i18n, googlesitekit-vendor, googlesitekit-commons, googlesitekit-data, googlesitekit-datastore-forms, googlesitekit-datastore-location, googlesitekit-datastore-site, googlesitekit-datastore-user, googlesitekit-datastore-ui, googlesitekit-widgets, googlesitekit-notifications / Version: 6.8.2 / Position: BODY [Change it?](#) / File Size: 143.54 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unloadUnload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:

Unload JS for URLs with request URI matching the following Regex(es):



Chat with ViettrendTour



Set the following attributes: * Pro version

 **async** → | on this page | everywhere

 **defer** → | on this page | everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-adminbar-css** * Stylesheet (.css) —

Source: /wp-content/plugins/google-site-kit/dist/assets/css/googlesitekit-adminbar-css-0292a189b277b20f5178.min.css

→ Preload? No (default) ▼ * applies site-wide 

"Child" of one "parent" CSS file: **googlesitekit-fonts** / Version: 6.8.2 /

Position: HEAD  [Change it?](#) / File Size: 112.07 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of "**post**" post type * bulk unload

Unload CSS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default) ▼



Chat with ViettrendTour



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-api** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: *googlesitekit-data, googlesitekit-datastore-site, googlesitekit-datastore-user, googlesitekit-modules, googlesitekit-modules-ads, googlesitekit-modules-adsense, googlesitekit-modules-analytics-4, googlesitekit-modules-pagespeed-insights, googlesitekit-modules-reader-revenue-manager, googlesitekit-modules-search-console, googlesitekit-modules-sign-in-with-google, googlesitekit-modules-tag-manager* →  Ignore dependency rule and keep the "children" loaded

Source: */wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-api-7d1ab5797a6de70537f1.js*

→ Preload? * applies site-wide 

"Child" of 2 JS "parent" files: *googlesitekit-vendor, googlesitekit-apifetch-data* / Version: 6.8.2 / Position: BODY  *Change it?* / File Size: 34.36 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "**post**" post type * bulk unload

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



 Unload JS for URLs with request URI matching the following Regex(es):



Set the following attributes: * *Pro version*

 **async** →

 **defer** →

Chat with ViettrendTour



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-components** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: *googlesitekit-modules-ads, googlesitekit-modules-adsense, googlesitekit-modules-analytics-4, googlesitekit-modules-pagespeed-insights, googlesitekit-modules-reader-revenue-manager, googlesitekit-modules-search-console, googlesitekit-modules-sign-in-with-google, googlesitekit-modules-tagmanager, googlesitekit-notifications, googlesitekit-widgets*

→ Ignore dependency rule and keep the "children" loaded

Source: */wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-components-cf132efd3b17d2ff0433.js*

→ Preload?  * applies site-wide 

Version: 6.8.2 / Position: BODY  Change it? / File Size: 24.09 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "**post**" post type * bulk unload

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



 Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * Pro version

 **async** →  on this page  everywhere

 **defer** →  on this page  everywhere

No notes have been added about this JavaScript file (e.g. why you to keep it loaded) →  Add Note

Chat with ViettrendTour



Handle: **googlesitekit-consent-mode** * JavaScript (.js)

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-consent-mode-47073c7ca387fad139d0.js

→ Preload?

No (default) ▾

 * applies site-wide ?

Version: 6.8.2 / Position: BODY Change it? / File Size: 72.98 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:
 ?

Unload JS for URLs with request URI matching the following R egEx(es):
 ?

Set the following attributes: * Pro version

async →

on this page

everywhere

defer →

on this page

everywhere

Make the browser download the file

on any screen size (default) ▾

?

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-data** * JavaScript (.js)

[Chat with ViettrendTour](#)

There are JS "children" files depending on this file. By unloac
It also be unloaded: **googlesitekit-adminbar**, **googlesitekit-datastore-forms**, **googlesit**

ekit-datastore-location, googlesitekit-datastore-site, googlesitekit-datastore-ui, googlesitekit-datastore-user, googlesitekit-modules, googlesitekit-modules-ads, googlesitekit-modules-adsense, googlesitekit-modules-analytics-4, googlesitekit-modules-pagespeed-insights, googlesitekit-modules-reader-revenue-manager, googlesitekit-modules-search-console, googlesitekit-modules-sign-in-with-google, googlesitekit-modules-tagmanager, googlesitekit-notifications, googlesitekit-widgets

→ Ignore dependency rule and keep the "children" loaded

Source: /wp-content/plugins/google-site-

kit/dist/assets/js/googlesitekit-data-95eaa13438cb2194424.js

→ Preload? No (default) ▼ * applies site-wide ?

"Child" of 2 JS "parent" files: googlesitekit-vendor, googlesitekit-api /

Version: 6.8.2 / Position: BODY Change it? / File Size: 7.19 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * Pro version

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-datastore-forms** * JavaScript Chat with ViettrendTour

There are JS "children" files depending on this file. By unloading

It also be unloaded: googlesitekit-adminbar, googlesitekit-modules-analytics-4

→ Ignore dependency rule and keep the "children" loaded

Source: </wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-datastore-forms-b2fe74783ebfb3648489.js>

→ Preload? No (default) ▾ * applies site-wide ?

"Child" of one "parent" JS file: [googlesitekit-data](#) / Version: 6.8.2 / Position: BODY 🔒 [Change it?](#) / File Size: 30.74 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * *Pro version*

🔒 **async** → on this page everywhere

🔒 **defer** → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → 📝 Add Note

Handle: [googlesitekit-datastore-location](#) * JavaScript (.js) —

ℹ️ There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: [googlesitekit-adminbar](#)

→ Ignore dependency rule and keep the "children" loaded

Source: </wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-datastore-location->

Chat with ViettrendTour



0af7b516990c0da6e040.js

→ Preload? No (default) ▼ * applies site-wide [?]

"Child" of 2 JS "parent" files: [googlesitekit-vendor](#), [googlesitekit-data](#)
/ Version: 6.8.2 / Position: BODY [Change it?](#) / File Size: 5.52 KB

☐ Unload on this post

☐ Unload site-wide * everywhere

☐ Unload JS on all pages of "**post**" post type * bulk unload

☐ Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



☐ Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * *Pro version*

☐ **async** → ☐ on this page ☐ everywhere

☐ **defer** → ☐ on this page ☐ everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-datastore-site** * JavaScript (.js) —

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: [googlesitekit-adminbar](#), [googlesitekit-datastore-user](#), [googlesitekit-modules](#), [googlesitekit-modules-ads](#), [googlesitekit-modules-adsense](#), [googlesitekit-modules-analytics-4](#), [googlesitekit-modules-pagespeed-insights](#), [googlesitekit-modules-reader-revenue-manager](#), [googlesitekit-modules-sign-in-with-google](#), [googlesitekit-modules-tagmanager](#)

→ ☐ Ignore dependency rule and keep the "children" loaded

Source: [/wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-datastore-site-](#)

Chat with ViettrendTour



c883bdd23f1dda7c4754.js

→ Preload? No (default) ▾ * applies site-wide [?]

"Child" of 5 JS "parent" files: googlesitekit-vendor, googlesitekit-api, googlesitekit-data, googlesitekit-base-data, googlesitekit-entity-data /

Version: 6.8.2 / Position: BODY Change it? / File Size: 81.63 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-datastore-ui** * JavaScript (.js) —

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: googlesitekit-adminbar

→ Ignore dependency rule and keep the "children" loaded

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-datastore-ui-86ebf8fd72a604c0bf78.js

Chat with ViettrendTour



→ Preload? No (default) ▾ * applies site-wide [?]

"Child" of one "parent" JS file: **googlesitekit-data** / Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size: 30.79 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "**post**" post type * bulk unload

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



 Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * *Pro version*

 **async** →  on this page  everywhere

 **defer** →  on this page  everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-datastore-user** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-adminbar**, **googlesitekit-modules**, **googlesitekit-modules-ads**, **googlesitekit-modules-adsense**, **googlesitekit-modules-analytics-4**, **googlesitekit-modules-reader-revenue-manager**, **googlesitekit-modules-search-console**, **googlesitekit-modules-sign-in-with-google**

→  Ignore dependency rule and keep the "children" loaded

Source: **/wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-datastore-user-7df4dc5d9f126ee2c29c.js**

→ Preload? **No (default)**  * applies site-wide 

Chat with ViettrendTour



"Child" of 4 JS "parent" files: [googlesitekit-data](#), [googlesitekit-api](#), [googlesitekit-user-data](#), [googlesitekit-datastore-site](#) / Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size: 119.86 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following Regex(es):



Set the following attributes: * *Pro version*

 **async** → on this page everywhere

 **defer** → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: [googlesitekit-events-provider-contact-form-7](#) * JavaScript (.js)

Source: [/wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-events-provider-contact-form-7-84e9a1056bc4922b7cbd.js](#)

→ Preload? No (default)  * applies site-wide 

Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size: 1.3 KB

Unload on this post

Unload site-wide

Chat with ViettrendTour 

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following R egEx(es):



Set the following attributes: * *Pro version*

async → on this page | everywhere

defer → on this page | everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-i18n** * *JavaScript (.js)*

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: *googlesitekit-adminbar, googlesitekit-notifications, googlesitekit-vendor, googlesitekit-widgets*

→ Ignore dependency rule and keep the "children" loaded

Source: */wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-i18n-bc6710fe480079978219.js*

→ Preload? No (default) ▼ * applies site-wide

Version: 6.8.2 / Position: BODY Change it? / File Size: 11.75 KB

Unload on this post

Unload site-wide

Chat with ViettrendTour



Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * *Pro version*

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-modules** * JavaScript (.js) —

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: *googlesitekit-modules-ads, googlesitekit-modules-adsense, googlesitekit-modules-analytics-4, googlesitekit-modules-pagespeed-insights, googlesitekit-modules-reader-revenue-manager, googlesitekit-modules-search-console, googlesitekit-modules-sign-in-with-google, googlesitekit-modules-tagmanager*

→ Ignore dependency rule and keep the "children" loaded

Source: */wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-6fa1a2d17438c1fb32dd.js*

→ Preload? No (default) ▼ * applies site-wide

"Child" of 5 JS "parent" files: *googlesitekit-vendor, googlesitekit-api, googlesitekit-data, googlesitekit-datastore-site, googlesitekit-datastore-user* / Version: 6.8.2 / Position: BODY Change it? / File Size: 95.37 KB

Unload on this post

Unload site-wide

Chat with ViettrendTour



| Unload JS on all pages of "post" post type * bulk unload

| Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:
 

| Unload JS for URLs with request URI matching the following RegEx(es):
 

Set the following attributes: *Pro version

 **async** → | on this page | everywhere

 **defer** → | on this page | everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-modules-ads** * JavaScript (.js) —

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-ads-50df6b55e260e985a9e8.js

→ Preload?

No (default) ▼

 * applies site-wide 

"Child" of 8 JS "parent" files: googlesitekit-vendor, googlesitekit-api, googlesitekit-data, googlesitekit-modules, googlesitekit-notifications, googlesitekit-datastore-site, googlesitekit-datastore-user, googlesitekit-components / Version: 6.8.2 / Position: BODY  Change it? / File Size: 199.8 KB

| Unload on this post

| Unload site-wide * everywhere

| Unload JS on all pages of "post" post type * bulk unlc [Chat with ViettrendTour](#) 

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: ** Pro version*

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-modules-adsense** * JavaScript (.js) —

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-adsense-9c63139db8c8dd28350f.js

→ Preload? No (default) ▼ * applies site-wide

"Child" of 8 JS "parent" files: googlesitekit-vendor, googlesitekit-api, googlesitekit-data, googlesitekit-modules, googlesitekit-notifications, googlesitekit-datastore-site, googlesitekit-datastore-user, googlesitekit-components / Version: 6.8.2 / Position: BODY Change it? / File Size: 523.73 KB

Unload on this post

Unload site-wide * everywhere

Chat with ViettrendTour



Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following R egEx(es):



Set the following attributes: * *Pro version*

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-modules-analytics-4** * JavaScript (.js) —

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-modules-tagmanager**

→ Ignore dependency rule and keep the "children" loaded

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-analytics-4-0cbf5fcf108f3414726c.js

→ Preload? No (default) ▼ * applies site-wide



"Child" of 10 JS "parent" files: googlesitekit-vendor, googlesitekit-api, googlesitekit-data, googlesitekit-modules, googlesitekit-notifications, googlesitekit-datastore-site, googlesitekit-datastore, googlesitekit-datastore-forms, googlesitekit-components, googlesitekit-modules

Chat with ViettrendTour



s-data / Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size: 86 2.74 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "**post**" post type * bulk unload

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



 Unload JS for URLs with request URI matching the following RegularEx(es):



Set the following attributes: * *Pro version*

 **async** →  on this page  everywhere

 **defer** →  on this page  everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-modules-pagespeed-insights** * *JavaScript (.m*

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-pagespeed-insights-3db07f7221b6dd883b96.js

→ Preload?  No (default)  * applies site-wide



"Child" of 7 JS "parent" files: googlesitekit-vendor, googlesitekit-api, googlesitekit-data, googlesitekit-modules, googlesitekit-notifications, googlesitekit-datastore-site, googlesitekit-components / Version: 6.8.

2 / Position: BODY  [Change it?](#) / File Size: 98.55 KB

Chat with ViettrendTour



Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * *Pro version*

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-modules-reader-revenue-manager** * JavaScript (.js)

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-reader-revenue-manager-4a4891476ff11a6f4fd7.js

→ Preload? No (default) ▼ * applies site-wide



"Child" of 8 JS "parent" files: googlesitekit-vendor, googlesitekit-api, googlesitekit-data, googlesitekit-modules, googlesitekit-ooglesitekit-datastore-site, googlesitekit-datastore-

Chat with ViettrendTour



t-components / Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size: 195.5 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "**post**" post type * bulk unload

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



 Unload JS for URLs with request URI matching the following Regular Expression(s):



Set the following attributes: * *Pro version*

 **async** →  on this page  everywhere

 **defer** →  on this page  everywhere

Make the browser download the file

on any screen size (default) 



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-modules-search-console** * JavaScript (.js) —

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-search-console-1088b1caceef32241796.js

→ Preload?  No (default)  * applies site-wide



"Child" of 7 JS "parent" files: **googlesitekit-vendor**, **googlesitekit-data**, **googlesitekit-datastore-user**, **googlesitekit-modules**, **googlesitekit-analytics**, **googlesitekit-widgets**, **googlesitekit-main**  Chat with ViettrendTour

googlesitekit-components, googlesitekit-modules-data / Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size: 270.67 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "post" post type * bulk unload

 Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:
 

 Unload JS for URLs with request URI matching the following RegEx(es):
 

Set the following attributes: *Pro version

 **async** →

 on this page

 everywhere

 **defer** →

 on this page

 everywhere

Make the browser download the file

on any screen size (default) 

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: googlesitekit-modules-sign-in-with-google *JavaScript (.
Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-sign-in-with-google-ca889fa57379b87dc176.js
→ Preload?

No (default) 

 * applies site-wide

"Child" of 8 JS "parent" files: googlesitekit-vendor, go  Chat with ViettrendTour
oglesitekit-data, googlesitekit-modules, googlesitekit-notifications, g

googlesitekit-datastore-site, googlesitekit-datastore-user, googlesitekit-components / Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size: 134.96 KB

- ☐ Unload on this post
- ☐ Unload site-wide * everywhere
- ☐ Unload JS on all pages of "post" post type * bulk unload
- ☐ Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:  
- ☐ Unload JS for URLs with request URI matching the following RegEx(es):  

Set the following attributes: *Pro version

-  **async** → ☐ on this page ☐ everywhere
-  **defer** → ☐ on this page ☐ everywhere

Make the browser download the file

on any screen size (default) 

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: googlesitekit-modules-tagmanager *JavaScript (.js) —

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-modules-tagmanager-babe4b177cdc788bef7f.js

→ Preload?

No (default) 

* applies site-wide 

Chat with ViettrendTour 

"Child" of 7 JS "parent" files: [googlesitekit-api](#), [googlesitekit-data](#), [googlesitekit-datastore-site](#), [googlesitekit-modules](#), [googlesitekit-vendor](#), [googlesitekit-components](#), [googlesitekit-modules-analytics-4](#) / Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size: 132.53 KB

 ☐ Unload on this post

 ☐ Unload site-wide * everywhere

 ☐ Unload JS on all pages of "**post**" post type * bulk unload

 ☐ Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



 ☐ Unload JS for URLs with request URI matching the following RegularEx(es):



Set the following attributes: * *Pro version*

 **async** → ☐ on this page ☐ everywhere

 **defer** → ☐ on this page ☐ everywhere

Make the browser download the file



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-notifications** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: [googlesitekit-adminbar](#), [googlesitekit-modules-ads](#), [googlesitekit-modules-adsense](#), [googlesitekit-modules-analytics-4](#), [googlesitekit-modules-pagespeed-insights](#), [googlesitekit-modules-reader-revenue-manager](#), [googlesitekit-modules-sign-in-with-google](#) → ☐ Ignore dependency rule and keep th

Chat with ViettrendTour



→ Preload? No (default) ▼ * applies site-wide

! Unload on this post | Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:

Unload JS for URLs with request URI matching the following RegEx(es):

-  **async** → | on this page | everywhere
-  **defer** → | on this page | everywhere

Handle: **googlesitekit-polyfills** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-vendor**

→ Ignore dependency rule and keep the "children" loaded

Chat with ViettrendTour

→ Preload?

No (default) ▼

* applies site-wide



"Child" of one "parent" JS file: [googlesitekit-base-data](#) / Version: 6.8.2
/ Position: BODY [Change it?](#) / File Size: 592 bytes

| [Unload on this post](#)| [Unload site-wide](#) * everywhere| [Unload JS on all pages of "post" post type](#) * bulk unload| [Unload JS on all pages of "post" post type if these taxonomies \(category, tag, etc.\) are set:](#)| [Unload JS for URLs with request URI matching the following RegEx\(es\):](#)Set the following attributes: * *Pro version***async** →| [on this page](#)| [everywhere](#)**defer** →| [on this page](#)| [everywhere](#)

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → [Add Note](#)

Handle: [googlesitekit-runtime](#) * *JavaScript (.js)*

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: [googlesitekit-adminbar](#), [googlesitekit-vendor](#)

→ [Ignore dependency rule and keep the "children" loaded](#)

Source: [/wp-content/plugins/google-site-kit/dist/assets/js/runtime-f20028520ac9e7c299aa.js](#)

→ Preload?

No (default) ▼

* applies site-wide



Version: 6.8.2 / Position: BODY [Change it?](#) / File

[Chat with ViettrendTour](#)

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:
 

Unload JS for URLs with request URI matching the following RegEx(es):
 

Set the following attributes: * Pro version

 **async** → on this page everywhere

 **defer** → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-vendor** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: *googlesitekit-adminbar, googlesitekit-api, googlesitekit-data, googlesitekit-datastore-location, googlesitekit-datastore-site, googlesitekit-modules, googlesitekit-modules-ads, googlesitekit-modules-adsense, googlesitekit-modules-analytics-4, googlesitekit-modules-pagespeed-insights, googlesitekit-modules-reader-revenue-manager, googlesitekit-modules-search-console, googlesitekit-modules-sign-in-with-google, googlesitekit-modules-tagmanager*
→ Ignore dependency rule and keep the "children" loaded

Source: /wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-vendor-7003832938837cf2aaf1.js

→ Preload?

No (default) 

 * applies site-wide 

"Child" of 3 JS "parent" files: *googlesitekit-i18n, googlesitekit-runtime, googlesitekit-polyfills* / Version: 6.8.2 / Position: B 
/ File Size: 1.11 MB

Chat with ViettrendTour

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following R egEx(es):



Set the following attributes: * *Pro version*

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-widgets** * JavaScript (.js) —

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-adminbar**

→ Ignore dependency rule and keep the "children" loaded

Source: **/wp-content/plugins/google-site-kit/dist/assets/js/googlesitekit-widgets-1b53cd781c00340a84a4.js**

→ Preload? **No (default)** ▼ * applies site-wide

"Child" of 3 JS "parent" files: **googlesitekit-data**, **googlesitekit-i18n**, **googlesitekit-components** / Version: 6.8.2 / Position: BODY

Change it? / File Size: 419.1 KB

Unload on this post

Unload site-wide

Chat with ViettrendTour



Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

OMGF v6.0.7 / 2 files

"Unload on this page"

[Check All](#) | [Uncheck All](#)

[Contract](#) | [Expand](#) All Assets

Handle: **omgf-frontend** *Stylesheet (.css)

Source: /wp-content/plugins/host-webfonts-local/assets/css/omgf-frontend.min.css → Preload? No (default) * applies site-wide

Version: 1756223182 / Position: HEAD Change it? / File Size: 1.72 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of "post" post type * bulk unload

Unload CSS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Chat with ViettrendTour



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **omgf-frontend** *JavaScript (.js)

Source: /wp-content/plugins/host-webfonts-local/assets/js/omgf-frontend.min.js → Preload? No (default) * applies site-wide



Version: 1756223182 / Position: HEAD Change it? / File Size: 2.45 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle: Show / Hide / Size: 529 bytes

Set the following attributes: * Pro version



async →

on this page

everywhere

Chat with ViettrendTour





defer →

| on this page

| everywhere

Make the browser download the file

on any screen size (default)



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

ShortPixel Adaptive Images v3.11.0 / 5 files

"Unload on this page"
Contract | Expand All Assets
Check All | Uncheck All

Handle: **spai-admin-styles** * Stylesheet (.css)

Source: /wp-content/plugins/shortpixel-adaptive-images/assets/css/admin.min.css

→ Preload?

No (default)

* applies site-wide



Version: 3.11.0 / Position: HEAD Change it? / File Size: 40.96 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of **"post"** post type * bulk unload

Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



Chat with ViettrendTour



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **spai-bar-style** * *Stylesheet (.css)*

Source: </wp-content/plugins/shortpixel-adaptive-images/assets/css/style-bar.min.css>

→ Preload?

No (default) ▼

 * applies site-wide 

Version: 3.11.0 / Position: HEAD  [Change it?](#) / File Size: 18.2 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload CSS on all pages of **"post"** post type * bulk unload

 Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:
 

 Unload CSS for URLs with request URI matching the following RegEx(es):
 

Make the browser download the file

on any screen size (default) ▼

No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **spai-scripts** * *JavaScript (.js)*

Source: </wp-content/plugins/shortpixel-adaptive-images/assets/js/ai-2.0.min.js>

→ Preload?

No (default) ▼

 * applies site-wide 

[Chat with ViettrendTour](#)


"Child" of one "parent" JS file: [jquery](#) / Version: 6.8.2 / Position: BODY [Change it?](#) / File Size: 41.23 KB

- ☐ Unload on this post
- ☐ Unload site-wide * everywhere
- ☐ Unload JS on all pages of "post" post type * bulk unload
- ☐ Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:
- ☐ Unload JS for URLs with request URI matching the following RegEx(es):

Inline JavaScript code associated with the handle:

Show / Hide +

 / Size: 2.35 KB

Set the following attributes: * Pro version

- async** → ☐ on this page ☐ everywhere
- defer** → ☐ on this page ☐ everywhere

Make the browser download the file

on any screen size (default) ▼

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **spai-tests** * JavaScript (.js)

—

Source: [/wp-content/plugins/shortpixel-adaptive-images/assets/js/ai.tests.min.js](#)

→ Preload?

No (default) ▼

 * applies site-wide

[Chat with ViettrendTour](#)

Version: 3.11.0 / Position: HEAD  [Change it?](#) / File Size: 1.84 KB

☐ **Unload on this post**

☐ **Unload site-wide** * everywhere

☐ **Unload JS on all pages of "post" post type** * bulk unload

☐ **Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:**
 

☐ **Unload JS for URLs with request URI matching the following RegEx(es):**
 

Set the following attributes: * *Pro version*

 **async** → ☐ on this page ☐ everywhere

 **defer** → ☐ on this page ☐ everywhere

Make the browser download the file

on any screen size (default) 

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  [Add Note](#)

Handle: **spai-topbar-menu** * *JavaScript (.js)* 

Source: **/wp-content/plugins/shortpixel-adaptive-images/assets/js/topbar-menu.min.js**

→ Preload?

No (default) 

 * applies site-wide

Version: 3.11.0 / Position: BODY  [Change it?](#) / File Size: 1.17 KB

☐ **Unload on this post**

☐ **Unload site-wide** [Chat with ViettrendTour](#) 

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following R egEx(es):



Set the following attributes: * *Pro version*

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default)



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note



Travel Agency Companion v1.5.9 / 8 files

"Unload on this page"

Contract | Expand | All Assets

Handle: **all** * *JavaScript (.js)*

Source: **/wp-content/plugins/travel-agency-companion/public/js/fontawesome/all.min.js**

→ Preload? No (default) * applies site-wide



"Child" of one "parent" JS file: **jquery** / Version: 5.6.3 / Position: B0 DY *Change it?* / File Size: 1.06 MB

Unload on this post

Unload site-wid

Chat with ViettrendTour



Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default)



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **odometer** *Stylesheet (.css)



Source: /wp-content/plugins/travel-agency-companion/public/css/odometer.min.css

→ Preload? No (default) * applies site-wide



Version: 0.4.6 / Position: HEAD Change it? / File Size: 3.04 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of "post" post type * bulk unload

Chat with ViettrendTour



Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **odometer** * *JavaScript (.js)*



Source: */wp-content/plugins/travel-agency-companion/public/js/odometer.min.js*

→ Preload?

No (default)



* applies site-wide



"Child" of one "parent" JS file: *jquery* / Version: 0.4.6 / Position: BODY *Change it?* / File Size: 9.67 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Chat with ViettrendTour



Set the following attributes: **Pro version*

 **async** → | on this page | everywhere

 **defer** → | on this page | everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **owl-carousel-aria** * JavaScript (.js) —

Source: /wp-content/plugins/travel-agency-companion/public/js/owl.carousel.aria.min.js

→ Preload? No (default) ▼ * applies site-wide 

"Child" of one "parent" JS file: **jquery**  / Version: 2.0.0 / Position: BODY  *Change it?* / File Size: 3.2 KB

! | Unload on this post

| Unload site-wide * everywhere

| Unload JS on all pages of **"post"** post type * bulk unload

| Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



| Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: **Pro version*

 **async** → | on this page | everywhere

Chat with ViettrendTour



 **defer** →

on this page

everywhere

Make the browser download the file

on any screen size (default)

▼

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **travel-agency-companion** * Stylesheet (.css) —

Source: /wp-content/plugins/travel-agency-companion/public/css/travel-agency-companion-public.min.css

→ Preload?

No (default)

▼

* applies site-wide 

Version: 1.5.9 / Position: HEAD  Change it? / File Size: 41.49 KB

! Unload on this post

! Unload site-wide * everywhere

! Unload CSS on all pages of **post** post type * bulk unload

! Unload CSS on all pages of **post** post type if these taxonomies (category, tag, etc.) are set:
 

! Unload CSS for URLs with request URI matching the following RegEx(es):
 

Inline styling associated with the handle:

Show / Hide +

 / Size: 256 bytes

Make the browser download the file

on any screen size (default)

▼

  Chat with ViettrendTour

No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **travel-agency-companion** * *JavaScript (.js)*

Source: </wp-content/plugins/travel-agency-companion/public/js/travel-agency-companion-public.min.js>

→ Preload? No (default) ▼ * applies site-wide 

"Child" of one "parent" JS file: [jquery](#)  / Version: 1.5.9 / Position: BODY  [Change it?](#) / File Size: 1.09 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of **"post"** post type * bulk unload

 Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



 Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle: Show / Hide  / Size: 132 bytes

Set the following attributes: * *Pro version*

 **async** → on this page everywhere

 **defer** → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



 Chat with ViettrendTour



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **v4-shims** * JavaScript (.js) —

Source: /wp-content/plugins/travel-agency-companion/public/js/fontawesome/v4-shims.min.js

→ Preload? No (default) ▼ * applies site-wide 

"Child" of one "parent" JS file: **jquery**  / Version: 5.6.3 / Position: BODY  [Change it?](#) / File Size: 14.63 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of **"post"** post type * bulk unload

 Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:  

 Unload JS for URLs with request URI matching the following RegEx(es):  

Set the following attributes: * *Pro version*

 **async** →  on this page  everywhere

 **defer** →  on this page  everywhere

Make the browser download the file

on any screen size (default) ▼  

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Chat with ViettrendTour



Handle: **waypoint** * *JavaScript (.js)*

Source: */wp-content/plugins/travel-agency-companion/public/js/waypoint.min.js*

→ Preload?

No (default) ▾

 * applies site-wide ?

"Child" of one "parent" JS file: *jquery*  / Version: 2.0.3 / Position: BODY  *Change it?* / File Size: 7.35 KB

| Unload on this post

| Unload site-wide * everywhere

| Unload JS on all pages of **"post"** post type * bulk unload

| Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:  ?

| Unload JS for URLs with request URI matching the following RegEx(es):  ?

Set the following attributes: * *Pro version*

 **async** →

on this page | everywhere

 **defer** →

on this page | everywhere

Make the browser download the file

on any screen size (default) ▾

 ?

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **wfi18njs** * *JavaScript (.js)*

Source: **/wp-content/plugins/wordfence/js/wfi18n.1756145765.js**

→ Preload? **No (default)** * applies site-wide

Version: 8.1.0 / Position: HEAD **Change it?** / File Size: 6.34 KB

Unload on this post | **Unload site-wide * everywhere**

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:

Unload JS for URLs with request URI matching the following RegEx(es):

Inline JavaScript code associated with the handle: **Show / Hide** / Size: 16.2 KB

Set the following attributes: * *Pro version*

async → **on this page** | **everywhere**

defer → **on this page** | **everywhere**

Make the browser download the file

on any screen size (default)

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → **Add Note**

Handle: **wordfenceAJAXcss** * *Stylesheet (.css)*

Chat with ViettrendTour

Source: [/wp-content/plugins/wordfence/css/wordfenceBox.1756145765.css](#)

→ Preload? No (default) ▾ * applies site-wide ?

Version: 8.1.0 / Position: HEAD 🔒 [Change it?](#) / File Size: 5.65 KB

! Unload on this post

! Unload site-wide * everywhere

! Unload CSS on all pages of **"post"** post type * bulk unload

! Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:
🔒 ?

! Unload CSS for URLs with request URI matching the following RegEx(es):
🔒 ?

Make the browser download the file

on any screen size (default) ▾ 🔒 ?

No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → 📝 [Add Note](#)

Handle: **wordfenceAJAXjs** * JavaScript (.js) —

Source: [/wp-content/plugins/wordfence/js/admin.ajaxWatcher.1756145765.js](#)

→ Preload? No (default) ▾ * applies site-wide ?

"Child" of one "parent" JS file: [jquery](#) ☁ / Version: 8.1.0 / Position: HEAD 🔒 [Change it?](#) / File Size: 15.2 KB

! Unload on this post

! Unload site-wide Chat with ViettrendTour 🌿

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following R egEx(es):



Inline JavaScript code associated with the handle: Show / Hide + / Size: 145 bytes

Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

WP Consent API v1.0.8 / 1 file

"Unload on this page"

[Check All](#) | [Uncheck All](#) | [Contract](#) | [Expand](#) All Assets

Handle: **wp-consent-api** * JavaScript (.js)

Source: /wp-content/plugins/wp-consent-api/assets/js/wp-consent-api.min.js → Preload? No (default) ▼ * applies site-wide

Version: 1.0.8 / Position: BODY Change it? / File Size: 1.75 KB

Unload on this post

Unload site-wide

Chat with ViettrendTour

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following R egEx(es):



Inline JavaScript code associated with the handle: Show / Hide + / Size: 215 bytes

Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

WP-Optimize - Clean, Compress, Cache v4.2.4 / 1 file

"Unload on All Assets" [Check All](#)

Handle: **wp-optimize-global** * Stylesheet (.css)

Source: /wp-content/plugins/wp-optimize/css/wp-optimize-global-

4-2-4.min.css → Preload? No (default) ▼ * applies site-wide



Version: 4.2.4 / Position: HEAD Change it? / File Size: 2.11 KB

Unload on this post

Unload site-wide

Chat with ViettrendTour



Unload CSS on all pages of **"post"** post type * bulk unload

Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note



WP Travel Engine - Travel and Tour Booking Plugin v6.6.8 / 12 files

Handle: **animate** * Stylesheet (.css)



Source: /wp-content/plugins/wp-travel-engine/assets/lib/animate.css

→ Preload?

No (default)

* applies site-wide



Version: 3.5.2 / Position: HEAD [Change it?](#) / File Size: 68.11 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of **"post"** post type * bulk unload

Chat with ViettrendTour



Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **owl-carousel** * Stylesheet (.css)



Source: **/wp-content/plugins/wp-travel-engine/assets/lib/owl-carousel-2.3.4/owl.carousel.css**

→ Preload?

No (default)



* applies site-wide



Version: 2.3.4 / Position: HEAD [Change it?](#) / File Size: 3.28 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of **"post"** post type * bulk unload

Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Chat with ViettrendTour



Make the browser download the file

on any screen size (default) ▼



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **owl-carousel** * JavaScript (.js) —

Source: /wp-content/plugins/wp-travel-engine/assets/lib/owl-carousel-2.3.4/owl.carousel.js

→ Preload? No (default) ▼ * applies site-wide



"Child" of one "parent" JS file: **jquery** / Version: 2.3.4 / Position: BODY Change it? / File Size: 43.31 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:

Unload JS for URLs with request URI matching the following RegEx(es):

Set the following attributes: * Pro version

async → on this page | everywhere

defer → on this page | everywhere

Make the browser download the file

on any screen size (default) ▼



Chat with ViettrendTour



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **wp-travel-engine** * Stylesheet (.css) —

Source: </wp-content/plugins/wp-travel-engine/dist/public/wte-public.css> → Preload? No (default) ▾ * applies site-wide 

Version: 1758004466 / Position: HEAD  [Change it?](#) / File Size: 390.01 KB

 Unload on this post

 Unload site-wide * everywhere

 Unload CSS on all pages of **"post"** post type * bulk unload

 Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



 Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default) ▾



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **wp-travel-engine** * JavaScript (.js) —

Source: </wp-content/plugins/wp-travel-engine/dist/public/wte-public.js> → Preload? No (default) ▾ * applies site-wide 

[Chat with ViettrendTour](#)

"Child" of one "parent" JS file: [jquery](#)  / Version: 99 
e752 / Position: BODY  [Change it?](#) / File Size: 37.02 KB

!

!

! post type * bulk unload"/>

! post type if these taxonomies (category, tag, etc.) are set:  

! 

Inline JavaScript code associated with the handle: / Size: 2.71 KB

Set the following attributes: *Pro version

 **async** →

 **defer** →

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **wptravelengine-trip-search-widgets-dropdown** *JavaScript(.js)

Source: **/wp-content/plugins/wp-travel-engine/dist/public/trip-search/widgets-dropdown.js**

→ Preload?  * applies site-wide

Version: 2e215b52fb1066f8870c / Position: BODY  [Change it?](#) / File Size: 7.3 KB

!

! [Chat with ViettrendTour](#) 

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following R egEx(es):



Set the following attributes: * *Pro version*

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **wptravelengine-trip-search-widgets-slider** * JavaScript (.

Source: /wp-content/plugins/wp-travel-engine/dist/public/trip-search/widgets-slider.js

→ Preload? No (default) ▼ * applies site-wide



Version: 415a8edc337661db6452 / Position: BODY Change it? / File Size: 24.13 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unload

Chat with ViettrendTour



! Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



! Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: ** Pro version*

async → | on this page | everywhere

defer → | on this page | everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **wte-blocks-index** *Stylesheet (.css) —

Source: **/wp-content/plugins/wp-travel-engine/dist/blocks/index.css**

→ Preload? No (default) ▼ * applies site-wide

Version: 1758004466 / Position: HEAD Change it? / File Size: 106.22 KB

! Unload on this post

! Unload site-wide * everywhere

! Unload CSS on all pages of "**post**" post type * bulk unload

! Unload CSS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Chat with ViettrendTour



Unload CSS for URLs with request URI matching the following
RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Chat with ViettrendTour



Handle: **wte-dropzone** * *Stylesheet (.css)*

Source: */wp-content/plugins/wp-travel-engine/assets/lib/dropzone/dropzone.min.css*

→ Preload?

No (default) ▾

 * applies site-wide 

Version: 5.9.2 / Position: HEAD  *Change it?* / File Size: 9.6 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of **"post"** post type * bulk unload

Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:  

Unload CSS for URLs with request URI matching the following RegEx(es):  

Make the browser download the file

on any screen size (default) ▾

No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **wte-dropzone** * *JavaScript (.js)*

Source: */wp-content/plugins/wp-travel-engine/assets/lib/dropzone/dropzone.min.js*

→ Preload?

No (default) ▾

 * applies site-wide 

"Child" of one "parent" JS file: *jquery*  / Version: 5.9.2 / Position: BODY  *Change it?* / File Size: 112.01 KB

Chat with ViettrendTour 

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:
🔒 ?

Unload JS for URLs with request URI matching the following RegEx(es):
🔒 ?

Set the following attributes: * Pro version

🔒 **async** → on this page everywhere

🔒 **defer** → on this page everywhere

Make the browser download the file

on any screen size (default) ▼ 🔒 ?

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → 📝 Add Note

Handle: **wte-fpickr** * JavaScript (.js) —

Source: /wp-content/plugins/wp-travel-engine/assets/lib/flatpickr-4.6.9/l10n/en.js → Preload? No (default) ▼ * applies site-wide ?

"Child" of one "parent" JS file: **wte-fpickr-lib** / Version: 4.6.9 / Position: BODY 🔒 Change it? / File Size: 1.73 KB

Unload on this post

Unload site-wide * everywhere

Chat with ViettrendTour

Unload JS on all pages of "post" post type * bulk unlk 🌿

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: ** Pro version*

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default)



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **wte-fpickr-lib** * JavaScript (.js)

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **wte-fpickr**

→ Ignore dependency rule and keep the "children" loaded

Source: **/wp-content/plugins/wp-travel-engine/assets/lib/flatpickr-**

4.6.9/fpickr.js → Preload? No (default) * applies site-wide

Version: 4.6.9 / Position: BODY Change it? / File Size: 48.51 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unload

Chat with ViettrendTour



Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: ** Pro version*

 **async** → on this page everywhere

 **defer** → on this page everywhere

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note



WP Travel Engine - Itinerary Downloader v2.2.4 / 2 files

"Unload
Assets
Check

Handle: **wte-itinerary-downloader** * *Stylesheet (.css)*

Source: **/wp-content/plugins/wp-travel-engine-itinerary-downloader/dist/public/wte-itinerary-downloader-public-css.css**

→ Preload? **No (default)** * applies site-wide



Version: 2.2.4 / Position: HEAD  *Change it?* / File Size: 9.33 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of **"post"** post type * bulk unload

Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Chat with ViettrendTour



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **wte-itinerary-downloader** * JavaScript (.js)

Source: /wp-content/plugins/wp-travel-engine-itinerary-downloader/dist/public/wte-itinerary-downloader-public-js.js

→ Preload? No (default) * applies site-wide



"Child" of one "parent" JS file: **jquery** / Version: 2.2.4 / Position: BODY [Change it?](#) / File Size: 3.19 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle: Show / Hide / Size: 496 bytes

Chat with ViettrendTour



Set the following attributes: * Pro version

 **async** → | on this page | everywhere

 **defer** → | on this page | everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note



WP Travel Engine - PayPal Express Gateway v2.4.0 / 3 files

Handle: **Wte-PayPal-Express** * JavaScript (.js)

Source: /wp-content/plugins/wp-travel-engine-paypal-express-gateway/assets/public.js

→ Preload? No (default) ▼ * applies site-wide



"Child" of one "parent" JS file: **jquery** / Version: 2.4.0 / Position: BODY  Change it? / File Size: 5.09 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegularEx(es):



Chat with ViettrendTour



Inline JavaScript code associated with the handle: Show / Hide + / Size: 322 bytes

Set the following attributes: ** Pro version*

 **async** →

☐ on this page

☐ everywhere

 **defer** →

☐ on this page

☐ everywhere

Make the browser download the file

on any screen size (default) 

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **Wte-PayPal-Express1** * Stylesheet (.css) —

Source: </wp-content/plugins/wp-travel-engine-paypal-express-gateway/assets/public.css>

→ Preload?

No (default) 

 * applies site-wide

Version: 2.4.0 / Position: HEAD  [Change it?](#) / File Size: 309 bytes









Chat with ViettrendTour 

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **parsley-min-js** * JavaScript (.js) —

Source: /wp-content/plugins/wp-travel-engine-paypal-express-gateway/assets/parsley.min.js

→ Preload? No (default) ▼ * applies site-wide



"Child" of one "parent" JS file: **jquery** / Version: 2.9.2 / Position: BODY Change it? / File Size: 41.77 KB

! Unload on this post

| Unload site-wide * everywhere

| Unload JS on all pages of **"post"** post type * bulk unload

| Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:

| Unload JS for URLs with request URI matching the following RegEx(es):

Set the following attributes: * Pro version

async → | on this page | everywhere

defer → | on this page | everywhere

Make the browser download the file

on any screen size (default) ▼



Chat with ViettrendTour



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note



WP Travel Engine - Trip Reviews v2.2.4 / 4 files

"Unload on this page"

Expand All Assets

Handle: **datepicker-style** * Stylesheet (.css)

Source: /wp-content/plugins/wp-travel-engine-trip-reviews/assets/css/lib/datepicker-style.css

→ Preload? No (default) * applies site-wide

Version: all / Position: HEAD  Change it? / File Size: 33.96 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of **post** post type * bulk unload

Unload CSS on all pages of **post** post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **jquery-appear** * JavaScript (.js)

Source: /wp-content/plugins/wp-travel-engine-trip-reviews/assets/js/lib/jquery.appear.js

Chat with ViettrendTour



→ Preload?

No (default) ▼

 * applies site-wide 

"Child" of one "parent" JS file: [jquery](#)  / Version: 2.2.4 / Position: BODY  [Change it?](#) / File Size: 2.39 KB



Unload on this post



Unload site-wide * everywhere



Unload JS on all pages of "**post**" post type * bulk unload



Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:  



Unload JS for URLs with request URI matching the following RegEx(es):  

Set the following attributes: * *Pro version*

 **async** →

 on this page  everywhere

 **defer** →

 on this page  everywhere

Make the browser download the file

on any screen size (default) ▼

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **jquery-rateyo** * Stylesheet (.css) 

Source: [/wp-content/plugins/wp-travel-engine-trip-reviews/assets/css/lib/jquery.rateyo.min.css](#)

→ Preload?

No (default) ▼

 * applies site-wide 

Version: 2.2.4 / Position: HEAD  [Change it?](#) / File 

[Chat with ViettrendTour](#)

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of "post" post type * bulk unload

Unload CSS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:
 

Unload CSS for URLs with request URI matching the following RegEx(es):
 

Make the browser download the file

on any screen size (default)   

No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **jquery-rateyo** * JavaScript (.js) 

Source: /wp-content/plugins/wp-travel-engine-trip-reviews/assets/js/lib/jquery.rateyo.min.js

→ Preload? No (default)  * applies site-wide 

"Child" of one "parent" JS file: **jquery**  / Version: 2.2.4 / Position: BODY  Change it? / File Size: 8.99 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: ** Pro version*

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note



WP Travel Engine - User History v2.2.1 / 1 file

"Unload on this page"

[Expand All Assets](#) [Check All](#) [Uncheck All](#)

Handle: **wteuh-tracking** * JavaScript(.js)

Source: /wp-content/plugins/wp-travel-engine-user-history/assets/public/js/min/wte-user-history-trkuhcd-2.2.1.js

→ Preload? No (default) ▼ * applies site-wide



"Child" of one "parent" JS file: **jquery** / Version: 2.2.1 / Position: BODY Change it? / File Size: 340 bytes

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unlc

Chat with ViettrendTour



Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle: Show / Hide + / Size:

298 bytes

Set the following attributes: **Pro version*

async → ☐ on this page ☐ everywhere

defer → ☐ on this page ☐ everywhere

Make the browser download the file



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note



WP TripAdvisor Review Slider v14.0 / 3 files

"Unload on this page"

[Track](#) [Expand All Assets](#) [Check All](#) [Uncheck All](#)

Handle: **wp-tripadvisor-review-slider_public** *JavaScript (.js) —

Source: **/wp-content/plugins/wp-tripadvisor-review-slider/public/js/wprev-public.js**

→ Preload? * applies site-wide



"Child" of one "parent" JS file: **jquery** / Version: 14.0 / Position: HEAD

[Change it?](#) / File Size: 4.32 KB

[Chat with ViettrendTour](#)



Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle: Show / Hide + / Size: 349 bytes

Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **wp-tripadvisor-review-slider_unslider-min** *JavaScript (.js)

Source: /wp-content/plugins/wp-tripadvisor-review-slider/public/js/wprs-unslider-swipe.js

→ Preload? No (default) ▼ * applies site-wide



"Child" of one "parent" JS file: **jquery** / Version: 14.0 / Position: HEAD [Change it?](#) / File Size: 12.84 KB

Unload on this post

Unload site-wide

[Chat with ViettrendTour](#)



Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: *Pro version

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default)



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **wptripadvisor_allcss** *Stylesheet (.css)

Source: /wp-content/plugins/wp-tripadvisor-review-slider/public/css/wptripadvisor_all.css

→ Preload? No (default) * applies site-wide



Version: 14.0 / Position: HEAD Change it? / File Size: 10.63 KB

Unload on this post

Unload site-wide * everywhere

Unload CSS on all pages of "post" post type * bulk unload

Chat with ViettrendTour



! Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



! Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

WP Chat App v3.7.3 / 4 files

"Unload on this page"

[Check All](#) | [Uncheck All](#) | [Contract](#) | [Expand](#) All Assets

Handle: **nta-css-popup** * Stylesheet (.css)

Source: **/wp-content/plugins/wp-whatsapp/assets/dist/css/style.css**

→ Preload?

No (default)

* applies site-wide



Version: 6.8.2 / Position: HEAD [Change it?](#) / File Size: 40.15 KB

! Unload on this post

! Unload site-wide * everywhere

! Unload CSS on all pages of **"post"** post type * bulk unload

! Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Chat with ViettrendTour



! Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **nta-js-global** * JavaScript (.js)

Source: /wp-content/plugins/wp-whatsapp/assets/js/whatsapp-button.js → Preload? No (default) * applies site-wide



Version: 3.7.3 / Position: BODY Change it? / File Size: 1.13 KB

! Unload on this post

! Unload site-wide * everywhere

! Unload JS on all pages of "**post**" post type * bulk unload

! Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



! Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle: Show / Hide / Size: 2.06 KB

Set the following attributes: * Pro version

async → on this page everywhere

Chat with ViettrendTour



defer →

on this page

everywhere

Make the browser download the file

on any screen size (default)

▼

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **nta-js-popup** * *JavaScript (.js)* —

Source: */wp-content/plugins/wp-whatsapp/assets/js/whatsapp-popup.js* → Preload?

No (default) ▼

 * applies site-wide

Version: 3.7.3 / Position: BODY *Change it?* / File Size: 922 bytes

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:

Unload JS for URLs with request URI matching the following R egEx(es):

Inline JavaScript code associated with the handle:

Show / Hide

 / Size: 2.18 KB

Set the following attributes: * *Pro version*

async →

on this page

everywhere

defer →

on this page

everywhere

Chat with ViettrendTour

Make the browser download the file

on any screen size (default)



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Chat with ViettrendTour



Handle: **nta-wa-lib** * JavaScript(.js)

Source: /wp-content/plugins/wp-whatsapp/assets/dist/js/njt-whatsapp.js → Preload? No (default) * applies site-wide

Version: 3.7.3 / Position: BODY Change it? / File Size: 50.65 KB

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * Pro version



async →

on this page

everywhere



defer →

on this page

everywhere

Make the browser download the file

on any screen size (default)



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note



From Themes (.css & .js) → Total files: 4

Travel Agency Pro v2.8.1

Chat with ViettrendTour



Handle: **travel-agency-pro** * *Stylesheet (.css)*

Source: */wp-content/themes/travel-agency-pro/style.min.css*

→ Preload?

No (default) ▼

 * applies site-wide 

Version: 6.8.2 / Position: HEAD  *Change it?* / File Size: 245.88 KB



Unload on this post



Unload site-wide * everywhere



Unload CSS on all pages of **"post"** post type * bulk unload



Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:  



Unload CSS for URLs with request URI matching the following RegEx(es):  

Make the browser download the file

on any screen size (default) ▼

No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **travel-agency-pro** * *JavaScript (.js)*

Source: */wp-content/themes/travel-agency-pro/js/custom.min.js*

→ Preload?

No (default) ▼

 * applies site-wide 

"Child" of one "parent" JS file: *jquery*  / Version: 2.8.1 / Position: BODY  *Change it?* / File Size: 5.07 KB



Unload on this post



Unload site-wide

Chat with ViettrendTour 

| Unload JS on all pages of "post" post type * bulk unload

| Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:
 

| Unload JS for URLs with request URI matching the following RegEx(es):
 

Inline JavaScript code associated with the handle: Show / Hide + / Size: 310 bytes

Set the following attributes: *Pro version

 **async** → | on this page | everywhere

 **defer** → | on this page | everywhere

Make the browser download the file

on any screen size (default)   

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **travel-agency-pro-elementor** *Stylesheet (.css) —

Source: /wp-content/themes/travel-agency-pro/css/elementor.min.css

→ Preload? No (default)   * applies site-wide

Version: 2.8.1 / Position: HEAD  [Change it?](#) / File Size: 39.83 KB

| Unload on this post

| Unload site-wide * everywhere

Chat with ViettrendTour 

! Unload CSS on all pages of **"post"** post type * bulk unload

! Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



! Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **wow** * *JavaScript (.js)*

Source: */wp-content/themes/travel-agency-pro/js/wow.min.js*

→ Preload?

No (default)

* applies site-wide



"Child" of one "parent" JS file: *jquery* / Version: 2.8.1 / Position: BODY *Change it?* / File Size: 8.22 KB

! Unload on this post

! Unload site-wide * everywhere

! Unload JS on all pages of **"post"** post type * bulk unload

! Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Chat with ViettrendTour



Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: **Pro version*

async → on this page everywhere

defer → on this page everywhere

Make the browser download the file

on any screen size (default) ▼



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

WordPress Core (.css & .js) → Total files: 21

Note: By default, Asset CleanUp does not show the list of CSS/JS loaded from the WordPress core. Usually, WordPress core files are loaded for a reason and this setting was applied to prevent accidental unload of files that could be needed (e.g. jQuery library, Underscore library etc.).

If you believe that you do not need some loaded core files (e.g. WordPress Gutenberg styling - Handle: 'wp-block-library') and you want to manage the files loaded from `/wp-includes/`, you can go to the plugin's **"Settings"**, click on the **"Plugin Usage Preferences"** tab, scroll to **"Hide WordPress Core Files From The Assets List?"** and make sure the option **is turned off**.

External 3rd Party (.css & .js) → Total files: 13

Chat with ViettrendTour



Note: External .css and .js assets are considered those who are hosted on a different domain (e.g. Google Font API, assets loaded from external CDNs) and the ones outside the WordPress "plugins" (usually /wp-content/plugins/), "themes" (usually /wp-content/themes/) and "uploads" (usually /wp-content/uploads/) directories.

[Contract](#) | [Expand](#) All Assets

Handle: **Wte-PayPal-Express-Checkout** * JavaScript (.js) —

Source: [https://www.paypal.com/sdk/js?currency="USD"&disable-funding=card"&client-id=AW098tRhFxxZpitYzt4dCv18b0BBL6Ku3Kzz_EoSypVFz55SakJTlwXCW_0fEK-Royj4Vcf5_ovcovUC](https://www.paypal.com/sdk/js?currency='USD'&disable-funding=card&client-id=AW098tRhFxxZpitYzt4dCv18b0BBL6Ku3Kzz_EoSypVFz55SakJTlwXCW_0fEK-Royj4Vcf5_ovcovUC)

→ Preload? No (default) ▾ * applies site-wide [?]

"Child" of one "parent" JS file: [jquery](#)  / Version: 6.8.2 / Position: BODY  [Change it?](#) / File Size:  [Get File Size](#)

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "**post**" post type * bulk unload

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



 Unload JS for URLs with request URI matching the following RegEx(es):



Set the following attributes: * *Pro version*

 **async** → on this page everywhere

 **defer** → on this page everywhere

Chat with ViettrendTour



Make the browser download the file

on any screen size (default)  

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **google_gtagjs** * JavaScript (.js) 

Source: <https://www.googletagmanager.com/gtag/js?id=GT-KT9J9F5J> → Preload?

No (default)  

 * applies site-wide

Version: 6.8.2 / Position: HEAD  [Change it?](#) / File Size:  [Get File Size](#)

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "post" post type * bulk unload

 Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:  

 Unload JS for URLs with request URI matching the following Regex(es):  

Inline JavaScript code associated with the handle:

Show / Hide 

 / Size: 832 bytes

Set the following attributes: * Pro version

 **async** →

on this page everywhere

 **defer** →

on this page everywhere

Chat with ViettrendTour 

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-ads-pax-config** * JavaScript(.js) —

Version: 1.161.0 / This handle is not for external JS (most likely inline JS) and it is loaded in: BODY

-  Unload on this post
-  Unload site-wide * everywhere

 Unload JS on all pages of "post" post type * bulk unload

 Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:
 

 Unload JS for URLs with request URI matching the following RegEx(es):
 

Inline JavaScript code associated with the handle:

Show / Hide +

 / Size: 493 bytes

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-apifetch-data** * JavaScript(.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-api**
→  Ignore dependency rule and keep the "children" loaded

Version: 1.161.0 / This handle is not for external JS (most likely inline JS) and it is loaded in: BODY

-  Unload on this post
-  Unload site-wide

Chat with ViettrendTour 

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Inline JavaScript code associated with the handle: Show / Hide + / Size:

11.41 KB

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-base-data** * JavaScript (.js)

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-datastore-site**, **googlesitekit-polyfills**

→ Ignore dependency rule and keep the "children" loaded

Version: 1.161.0 / This handle is not for external JS (most likely inline JS) and it is loaded in: BODY

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of **"post"** post type * bulk unload

Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following RegEx(es):



Chat with ViettrendTour



Inline JavaScript code associated with the handle:

Show / Hide + / Si

ze: 2.16 KB

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-commons** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-adminbar**

→  Ignore dependency rule and keep the "children" loaded

Version: 1.161.0 / This handle is not for external JS (most likely inline JS) and it is loaded in: BODY

 Unload on this post

 Unload site-wide * everywhere

 Unload JS on all pages of "**post**" post type * bulk unload

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



 Unload JS for URLs with request URI matching the following RegularEx(es):



Inline JavaScript code associated with the handle:

Show / Hide + / Si

ze: 1.38 KB

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **googlesitekit-entity-data** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-datastore-site**

→  Ignore dependency rule and keep the "children" loaded

Chat with ViettrendTour



Version: 1.161.0 / This handle is not for external JS (most likely inline JS) and it is loaded in: BODY

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:



Unload JS for URLs with request URI matching the following Regex(es):



Inline JavaScript code associated with the handle: Show / Hide + / Size:

404 bytes

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-fonts** * Stylesheet (.css)

There are CSS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-adminbar-css**

→ Ignore dependency rule and keep the "children" loaded

Source: [https://fonts.googleapis.com/css?](https://fonts.googleapis.com/css?family=Google+Sans+Text:400,500|Google+Sans+Display:400,500,700&subset=latin-ext&display=fallback)

[family=Google+Sans+Text:400,500|Google+Sans+Display:400,500,700&subset=latin-ext&display=fallback](https://fonts.googleapis.com/css?family=Google+Sans+Text:400,500|Google+Sans+Display:400,500,700&subset=latin-ext&display=fallback)

→ Preload? No (default) v * applies site-wide

Version: 6.8.2 / Position: HEAD Change it? / File Size: [Get File Size](#)

Unload on this post

Unload site-wide

Chat with ViettrendTour

Unload CSS on all pages of "**post**" post type * bulk unload

Unload CSS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Unload CSS for URLs with request URI matching the following RegEx(es):



Make the browser download the file

on any screen size (default)



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: **googlesitekit-modules-data** * JavaScript (.js) —

There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-modules-analytics-4**, **googlesitekit-modules-search-console** → Ignore dependency rule and keep the "children" loaded

Version: 1.161.0 / This handle is not for external JS (most likely inline JS) and it is loaded in: BODY

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



Chat with ViettrendTour



Unload JS for URLs with request URI matching the following R
egEx(es):
 

Inline JavaScript code associated with the handle:

Show / Hide + / Si

ze: 1016 bytes

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided
to keep it loaded) →  Add Note

Handle: **googlesitekit-tracking-data** * JavaScript (.js) —
 There are JS "children" files depending on this file. By unloading it, the following wi
ll also be unloaded: **googlesitekit-adminbar**
→ Ignore dependency rule and keep the "children" loaded

Version: 1.161.0 / This handle is not for external JS (most likely inline J
S) and it is loaded in: BODY

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "**post**" post type * bulk unload

Unload JS on all pages of "**post**" post type if these taxonomies
(category, tag, etc.) are set:
 

Unload JS for URLs with request URI matching the following R
egEx(es):
 

Inline JavaScript code associated with the handle:

Show / Hide + / Si

ze: 464 bytes

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided
to keep it loaded) →  Add Note

Chat with ViettrendTour


Handle: **googlesitekit-user-data** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **googlesitekit-datastore-user**

→ ☐ Ignore dependency rule and keep the "children" loaded

Version: 1.161.0 / This handle is not for external JS (most likely inline JS) and it is loaded in: BODY

☐ Unload on this post

☐ Unload site-wide * everywhere

☐ Unload JS on all pages of "**post**" post type * bulk unload

☐ Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set:



☐ Unload JS for URLs with request URI matching the following Regex(es):



Inline JavaScript code associated with the handle: Show / Hide  / Size: 568 bytes

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Handle: **jquery-ui-position** * JavaScript (.js) —

 There are JS "children" files depending on this file. By unloading it, the following will also be unloaded: **elementor-dialog**

→ ☐ Ignore dependency rule and keep the "children" loaded

"Child" of one "parent" JS file: **jquery-ui-core**  / Version: 1.13.3 / This handle is not for external JS (most likely inline JS) and it is loaded in: BODY

Chat with ViettrendTour



Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:

Unload JS for URLs with request URI matching the following R egEx(es):

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Handle: spai-sniper * JavaScript (.js)

Source: <https://cdn.shortpixel.ai/assets/js/snip-3.1.min.js>

→ Preload?

No (default)

 * applies site-wide

Version: 3.1.0 / Position: BODY Change it? / File Size: [Get File Size](#)

Unload on this post

Unload site-wide * everywhere

Unload JS on all pages of "post" post type * bulk unload

Unload JS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set:

Unload JS for URLs with request URI matching the following R egEx(es):

Chat with ViettrendTour

Inline JavaScript code associated with the handle: Show / Hide + / Si

ze: 2.79 KB

Set the following attributes: ** Pro version*

 **async** →

on this page

everywhere

 **defer** →

on this page

everywhere

Make the browser download the file

on any screen size (default) ▼

No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

 Hardcoded (non-enqueued) Styles & Scripts → Total: 14 —

 The following tags are NOT LOADED via the recommended `wp_enqueue_scripts()` action hook (despite the name, it is used for enqueueing both scripts and styles) which is the proper one to use when enqueueing scripts and styles that are meant to appear on the front end. The standard functions that are used inside the hook to do an enqueueing are: `wp_enqueue_style()`, `wp_add_inline_style()`, `wp_enqueue_script()` & `wp_add_inline_script()`. The tags could have been added via editing the PHP code (not using the right standard functions), directly inside posts content, widgets or via plugins such as "Insert Headers and Footers", "Head, Footer and Post Injections", etc. Be careful when unloading any of these tags as they might be related to Google Analytics/Google Ads, StatCounter, Facebook Pixel, etc.

 Managing hardcoded LINK/STYLE/SCRIPT tags is an option [available in the Pro version](#).

Other Loaded Assets: 14 Contract | Expand All

Position: HEAD  [Change it?](#) / HTML Tag Size: 101  Chat with ViettrendTour

```
<style>img:is([sizes="auto" i], [sizes^="auto," i]) {
contain-intrinsic-size: 3000px 1500px }</style>
```



Unload on this page



Unload site-wide * everywhere

Unload CSS on all pages of **"post"** post typeUnload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set

Unload CSS for URLs with request URI matching the following RegEx(es):



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Position: HEAD [Change it?](#) / HTML Tag Size: 100 bytes

```
<style>.single-trip #wte_enquiry_contact_form
input[type=checkbox]+label { display: inline;}</style>
```



Unload on this page



Unload site-wide * everywhere

Unload CSS on all pages of **"post"** post typeUnload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set

Chat with ViettrendTour



 Unload CSS for URLs with request URI matching the following RegEx(es):



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Position: HEAD  [Change it?](#) / HTML Tag Size: 386 bytes

```
<style>.wpte-bf-book-summary .wpte-bf-trip-name-wrap{display:flex;flex-direction:column;align-items:flex-start}.wpte-bf-trip-code{margin:15px 0 0 0;padding:3px 15px;font-size:15px;letter-spacing:.5px;line-height:1.7;background:var(--primary-color);color:rgba(255,255,255,.85);border-radius:3px;order:3;font-style:italic}.wpte-bf-trip-code span{font-style:normal;font-weight:600}</style>
```



Unload on this page



Unload site-wide * everywhere



Unload CSS on all pages of **"post"** post type



Unload CSS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set



 Unload CSS for URLs with request URI matching the following RegEx(es):



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Chat with ViettrendTour



Position: HEAD  [Change it?](#) / HTML Tag Size: 20,000 bytes

```
<style type='text/css' media='all'>
    :root {
      --primary-color: #00b5b9;
      --primary-color-rgb: 0, 181, 185;
      --primary-font: "Barlow";
      --secondary-font: "Barlow";
    }
```

body,
button,

[View more](#)

 **Unload on this page**

 **Unload site-wide** * everywhere

 **Unload CSS on all pages of "post" post type**

 **Unload CSS on all pages of "post" post type if these taxonomies (category, tag, etc.) are set**



 **Unload CSS for URLs with request URI matching the following RegEx(es):**



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  **Add Note**

Position: HEAD  **Change it?** / HTML Tag Size: 124 bytes

```
<style type="text/css" id="wp-custom-css">
    .elementor-star-full{
      font-family: "eicons";
      font-style: normal;
    }
</style>
```

Chat with ViettrendTour





Unload on this page



Unload site-wide * everywhere

Unload CSS on all pages of "**post**" post typeUnload CSS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set

Unload CSS for URLs with request URI matching the following RegEx(es):



No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Position: BODY Change it? / HTML Tag Size: 4.47 KB

```
<style id="travel-agency-pro-local-webfonts">@font-face{font-family:'Barlow';font-style:normal;font-weight:100;src:local('Barlow Thin'),local('Barlow-Thin'),url(//viettrendtour.com/wp-content/uploads/webfonts/barlow/7cHrv4kjgoGqM7E3b8s8yn4hnCci.ttf) format('truetype');}@font-face{font-family:'Barlow';font-style:normal;font-weight:200;src:local('Barlow Extra-Light'),local('Barlow-ExtraLight'),url(//viettrendtour.com/wp-content/uploads/webfonts/barlow/7cHqv4kjgoGqM7E3w-
```

[View more](#)

Unload on this page



Unload site-wide * everywhere

Chat with ViettrendTour



 Unload CSS on all pages of "**post**" post type

 Unload CSS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set


 Unload CSS for URLs with request URI matching the following RegEx(es):


No notes have been added about this stylesheet file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Position: HEAD  [Change it?](#) / HTML Tag Size: 109 bytes

```
<script type="text/javascript">
/* <![CDATA[ */
window["ga-disable-G-PWSR26Y5L5"] = true;
/* ]]> */
</script>
```

 Unload on this page

 Unload site-wide * everywhere

 Unload JS on all pages of "**post**" post type

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set


 Unload JS for URLs with request URI matching the following RegEx(es):


Chat with ViettrendTour



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Position: HEAD  [Change it?](#) / HTML Tag Size: 1.27 KB

```
<script type="text/javascript" id="google_gtagjs-js-consent-mode-data-layer">
/* <![CDATA[ */
window.dataLayer = window.dataLayer || [];function gtag()
{dataLayer.push(arguments);}
gtag('consent', 'default',
{"ad_personalization":"denied","ad_storage":"denied","ad_
user_data":"denied","analytics_storage":"denied","functio
nality_storage":"denied","security_storage":"denied","per
sonalization_storage":"denied","region":
```

[View more](#)



Unload on this page



Unload site-wide * everywhere



Unload JS on all pages of **"post"** post type



Unload JS on all pages of **"post"** post type if these taxonomi
es (category, tag, etc.) are set



Unload JS for URLs with request URI matching the followin
g RegEx(es):



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Position: HEAD  [Change it?](#) / HTML Tag Size: 42' [Chat with ViettrendTour](#)



```
<script type='text/javascript'>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMethod.apply(n,arguments):n.queue.push(arguments)};
if(!f._fbq)f._fbq=n;
n.push=n;n.loaded=!0;n.version='2.0';n.queue=
[];t=b.createElement(e);t.async=!0;
t.src=v;s=b.getElementsByTagName(e)
[0];s.parentNode.insertBefore(t,s)}(window,
document,'script','https://connect.facebook.net/en_US/fbe
vents.js');
</script>
```



Unload on this page



Unload site-wide * everywhere

Unload JS on all pages of "**post**" post typeUnload JS on all pages of "**post**" post type if these taxonomi
es (category, tag, etc.) are setUnload JS for URLs with request URI matching the followin
g RegEx(es):

No notes have been added about this JavaScript file (e.g. why you unloaded it or
decided to keep it loaded) → Add Note

Position: HEAD Change it? / HTML Tag Size: 234 bytes

```
<script type='text/javascript'>var url =
window.location.origin + '?ob=open-bridge';
fbq('set', 'openbridge', '1580028360040643',
url);
fbq('init', '1580028360040643', {}, {
```

Chat with ViettrendTour




```
"agent": "wordpress-6.8.2-4.1.5"
})</script>
```

 [Unload on this page](#)

 [Unload site-wide * everywhere](#)

 [Unload JS on all pages of "post" post type](#)

 [Unload JS on all pages of "post" post type if these taxonomies \(category, tag, etc.\) are set](#)


 [Unload JS for URLs with request URI matching the following RegEx\(es\):](#)


No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  [Add Note](#)

Position: HEAD  [Change it?](#) / HTML Tag Size: 77 bytes

```
<script type='text/javascript'>
  fbq('track', 'PageView', []);
</script>
```

 [Unload on this page](#)

 [Unload site-wide * everywhere](#)

 [Unload JS on all pages of "post" post type](#)

 Unload JS on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set



 Unload JS for URLs with request URI matching the following RegEx(es):



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Position: BODY  *Change it?* / HTML Tag Size: 160 bytes

```
<noscript>

</noscript>
```

 Unload on this page

 Unload site-wide * everywhere

 Unload NOSCRIPT tag on all pages of "**post**" post type

 Unload NOSCRIPT tag on all pages of "**post**" post type if these taxonomies (category, tag, etc.) are set



 Unload NOSCRIPT tag for URLs with request URI matching the following RegEx(es):



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) →  Add Note

Chat with ViettrendTour



Position: BODY  [Change it?](#) / HTML Tag Size: 212 bytes

```
<script type="text/javascript">
/*  */
(function(){if(window===window.parent)
{document.getElementById('_wp_unfiltered_html_comment_dis
abled').name='_wp_unfiltered_html_comment';}}})();
/* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="186 277 211 298" data-label="Image"><img alt="lock icon"/></div><div data-bbox="221 276 421 296" data-label="Text"><p>Unload on this page</p></div><div data-bbox="151 336 176 356" data-label="Image"><img alt="lock icon"/></div><div data-bbox="151 336 454 356" data-label="Text"><p>Unload site-wide * everywhere</p></div><div data-bbox="151 401 176 421" data-label="Image"><img alt="lock icon"/></div><div data-bbox="150 400 584 422" data-label="Text"><p>Unload JS on all pages of <b>"post"</b> post type</p></div><div data-bbox="151 462 176 481" data-label="Image"><img alt="lock icon"/></div><div data-bbox="145 461 758 501" data-label="Text"><p>Unload JS on all pages of <b>"post"</b> post type if these taxonomi<br/>es (category, tag, etc.) are set</p></div><div data-bbox="151 503 176 521" data-label="Image"><img alt="help icon"/></div><div data-bbox="151 562 176 581" data-label="Image"><img alt="lock icon"/></div><div data-bbox="145 561 752 602" data-label="Text"><p>Unload JS for URLs with request URI matching the followin<br/>g RegEx(es):</p></div><div data-bbox="151 604 176 622" data-label="Image"><img alt="help icon"/></div><div data-bbox="132 657 758 696" data-label="Text"><p>No notes have been added about this JavaScript file (e.g. why you unloaded it or<br/>decided to keep it loaded) → <img alt="pencil icon" data-bbox="368 683 388 698"/> Add Note</p></div><div data-bbox="132 731 702 758" data-label="Text"><p>Position: BODY <img alt="lock icon" data-bbox="291 734 311 754"/> <a href="#">Change it?</a> / HTML Tag Size: 259 bytes</p></div><div data-bbox="142 780 776 905" data-label="Text"><pre>&lt;script type='text/javascript'&gt;
    document.addEventListener( 'wpcf7mailsent',
function( event ) {
    if( "fb_pxl_code" in event.detail.apiResponse){
        eval(event.detail.apiResponse.fb_pxl_code);
    }
}</pre></div><div data-bbox="644 895 801 910" data-label="Text"><p>Chat with ViettrendTour</p></div><div data-bbox="645 911 666 926" data-label="Image"><img alt="chat icon"/></div><div data-bbox="35 966 585 981" data-label="Page-Footer"><p><a href="https://viettrendtour.com/2025/09/10/7-days-in-northern-vietnam-a-journey-that-changes-everything/">https://viettrendtour.com/2025/09/10/7-days-in-northern-vietnam-a-journey-that-changes-everything/</a></p></div><div data-bbox="913 966 970 980" data-label="Page-Footer"><p>133/135</p></div>
```

```
}, false );
</script>
```



Unload on this page



Unload site-wide * everywhere



Unload JS on all pages of **"post"** post type



Unload JS on all pages of **"post"** post type if these taxonomies (category, tag, etc.) are set



Unload JS for URLs with request URI matching the following RegEx(es):



No notes have been added about this JavaScript file (e.g. why you unloaded it or decided to keep it loaded) → Add Note

Page Options

If you have reasons to prevent certain functionality of the plugin on this page, you can use the options below. For instance, you found out that combining CSS files on this page is not working well and you want to disable it. Moreover, if Asset CleanUp is not working well for this page (e.g. it's in conflict with another plugin) and you want to avoid loading it, you can choose to do that as well.

- ☐ Do not minify CSS files on this page
- ☐ Do not combine CSS files on this page
- ☐ Do not minify JS files on this page
- ☐ Do not combine JS files on this page
- ☐ Do not apply any front-end optimization on this page (this includes any changes related to CSS/JS files)
- ☐ Do not load Asset CleanUp on this page (this will disable functionality of the plugin)

Chat with ViettrendTour



💡 If you are not sure how these options work, you can [read more about them](#) in the documentation.

 UPDATE

Powered by Asset CleanUp, version 1.4.0.3

Chat with ViettrendTour

